

Point of sale | **Point of payment** | Point of service | **Modular configurations for multiple add-ons** | Full motion 'free float' gas articulation | **Multiple mounting options** | Easy and quick to configure




PosFlex

Point of Sale Mounting System

Mount from 1 to 4 screens | static or gas spring dynamic positioning & movement | thru-mount or clamp mount ideal for pop up shops

**PosFlex provides positive advantages for retailers.
With every PosFlex mount there is a choice of:**



Single or heavy-duty mounting clamp

Mount type: clamp-on or bolt-through
both options at no extra cost

Pole heights:
low, medium, high
for every mount type

Horizontal arm extensions
to increase depth and
maneuverability

PosFlex provides greater flexibility
than any other



PosFlex your most versatile sales assistant

Point of sale | Point of payment | Point of service





PosFlex simple single with cradle

Single mount 360mm height, single connector, tilter & VESA plate

- Easy to install
- Flexible
- Neat and tidy
- Fully adjustable

Available in all mount and arm variations.

PosFlex simple single			
Vertical Range	Horizontal Range	Weight range	Screen size
305mm pole	55mm (centre VESA)	8Kg per device	Up to 32" 813 mm size



PosFlex static single with arm with cradle

Single mount 360mm height, single connector, static extension arm, tilter & VESA plate

- Easy to install
- Flexible
- Neat and tidy
- Fully adjustable

Available in all mount and arm variations.

PosFlex static single with arm			
Vertical Range	Horizontal Range	Weight range	Screen size
305mm pole	0-224mm (centre VESA)	8Kg per device	Up to 32" 813 mm size

Configure to your needs | Integrate to your system | Customise to your workflow

Secure your terminal and protect from food and spills. Mount from 1 to 4 screens, with static or gas spring dynamic positioning and movement. Flexibility with thru-mount or clamp mount base - ideal for pop up shops. Reduce surface clutter and save valuable selling space. Easily adjustable height and angle of monitors and screens means you can share information with customers.



PosFlex dynamic single with arm and cradle

Single mount 360mm height, single connector, gas articulated arm, tilter & VESA plate

- Easy to install
- Flexible
- Neat and tidy
- Fully adjustable

Available in all mount and arm variations.

PosFlex dynamic single with arm			
Vertical Range	Horizontal Range	Weight range	Screen size
305mm pole 110mm-600mm Dynamic tilt	0-293mm (centre VESA)	8Kg per device	Up to 32" 813 mm size



PosFlex dual static with cradle

Single mount 360mm height, dual connector, static extension arms, tilters & VESA plates

- Easy to install
- Flexible
- Neat and tidy
- Fully adjustable

Available in all mount and arm variations.

PosFlex dual static			
Vertical Range	Horizontal Range	Weight range	Screen size
305mm pole	0-224mm (centre VESA)	8Kg per device	Up to 32" 813 mm size

Configure to your needs | Integrate to your system | Customise to your workflow



PosFlex dual dynamic with cradle

Single mount 360mm height, dual connector, gas articulated arms, tilter & VESA plates

- Easy to install
- Flexible
- Neat and tidy
- Fully adjustable

Available in all mount and arm variations.

PosFlex dual dynamic			
Vertical Range	Horizontal Range	Weight range	Screen size
305 mm pole 110mm-600mm Dynamic tilt	0-293mm (centre VESA)	8Kg per device	Up to 32" 813 mm size



PosFlex triple with cradle

Single mount 555mm height, single and dual connectors, extension arms, tilter & VESA plates

- Easy to install
- Flexible
- Neat and tidy
- Fully adjustable

Available in all mount and arm variations.

PosFlex triple			
Vertical Range	Horizontal Range	Weight range	Screen size
500mm pole 110mm-600mm Dynamic tilt	0-224/mm (centre VESA) 0-293mm Dynamic arm (centre VESA)	8Kg per device	Up to 32" 813 mm size

Configure to your needs | Integrate to your system | Customise to your workflow



PosFlex quad with cradle

Single mount 850mm height, 2 dual connectors, static extension arms, tilter & VESA plates

- Easy to install
- Flexible
- Neat and tidy
- Fully adjustable

Available in all mount and arm variations.

PosFlex quad			
Vertical Range	Horizontal Range	Weight range	Screen size
795mm pole 110mm-600mm Dynamic tilt	0-224mm (centre VESA) 0-293mm Dynamic arm (centre VESA)	8Kg per device	Up to 32" 813 mm size



Posista stand alone (through-mount only)

Single mount 250mm height, with integrated adjustable cradle bracket

- Easy to install
- Flexible
- Neat and tidy
- Fully adjustable

Available in all mount and arm variations.

Posista stand alone			
Vertical Range	Swivel Range	Tilte Range	Screen size
250mm	+180° -180°	60° - 70°	69-109mm

Configure to your needs | Integrate to your system | Customise to your workflow

PosFlex accessories

PosFlex is a modular system with a series of standard accessories



Cradle			
Height	Width	Depth	Load capacity
216mm	91mm	50mm	3Kg



PosFlex cradle mount is a convenient bracket to hold the majority of Point-of-Sale terminal devices



Laptop Tray		
Height	Width	Lip
240mm	300mm	30mm



A tray can be added as an option for different printer and terminal configurations.



Secure iPad Point of Sale	
Outer Dimentions	Inner Dimentions
300mm x 250mm x 25mm	165mm x 210mm x 10mm



The Secure iPad holder to display tablet devices with added security.

* **Taller pole options** are available with all configurations.

Uplifting Solutions Pty Ltd

Units 19-20, 2 Daydream Street, Warriewood NSW 2102 Australia
1300 79 80 50 | sales@uplifting.com.au